



MS 180

MS 180

One of our most popular chainsaws for use around the home.



The MS 180 C-BE is a light, practical chain saw for use around the home or cottage. It features the Easy2Start system technology that will help you start your saw effortlessly. Other features include STIHL's Quick Chain Adjuster that will allow you to tension your chain without any tools, the STIHL Quickstop inertia chain brake and anti-vibration system for smooth operation. This saw is ideal for cutting firewood or felling small diameter trees.

* Manufacturer's featured price updated as of January 1, 2017. Manufacturer's featured prices are subject to change without notice.

The version(s) available in each country may differ from the above range and specifications; specific details may be subject to change without notice. Please ask your local STIHL Approved Dealer for further information.

Technical data

Displacement (cc)	31.8
Power output (kW/bhp)	1.5 / 2.0
Weight (kg / lbs) ¹⁾	4.2 / 9.3
Featured price bar (in)	16

The version(s) available in each country may differ from the above range and specifications; specific details may be subject to change without notice. Please ask your local STIHL Approved Dealer for further information.

Standard features




STIHL Easy2Start (E)

A genuine advance in easy starting. STIHL Easy2Start (E) cuts the effort required to start the tool by half, while the starter cord can be pulled at just one third of the normal force. All it takes is 2 fingers and a gentle pull action.



Quick Chain Adjuster (B)

With STIHL Quick Chain Tensioning, it's easy to adjust the saw chain, without tools and without coming into contact with the sharp saw chain itself. Just release the sprocket cover and turn the adjusting wheel to set the optimum tension.



STIHL anti-vibration system

Precisely calculated buffer zones minimise the transfer of engine and saw chain vibrations to the front and rear handles. The chainsaw therefore runs noticeably smoother. This allows the user to save their strength and work longer.



Compensator

This controller in the carburettor prevents the fuel-air mixture getting richer as the air filter becomes clogged. The correct quantity of fuel is delivered to the carburettor depending on the quantity of air passing through the air filter. This keeps the fuel/air ratio in the combustion mixture constant and hence also the engine power. The filter doesn't need to be cleaned until an appreciable drop in power occurs.



STIHL Ematic System

Compared to conventional bars without Ematic, the STIHL Ematic system reduces the consumption of chain lubricant by up to 50 %, depending on the type of wood and the cutting attachment used. This system comprises a STIHL Ematic or Ematic S guide bar, a STIHL Oilomatic saw chain and a variable-flow or reduced-flow oil pump. As a result, virtually every drop of chain lubricant is delivered to exactly the right spot.



Single-lever master control

All important functions such as start, choke, throttle and stop are operated via a single lever.

The version(s) available in each country may differ from the above range and specifications; specific details may be subject to change without notice. Please ask your local STIHL Approved Dealer for further information.