

SC430

# Reliable and easy product for easy cleaning

- Simple and user friendly walk-behind scrubber dryer





The SC430 is the perfect choice for simple and reliable daily cleaning of indoor mid-sized areas. With a reduced pushing force and a user friendly design the SC430 is intuitive to use.

On the SC430 you find standard features like:

- Easy to use with one touch button that activate all scrubbing functions
- Integrated solution tank and recovery tank for high capacity
- Compatible with all Nilfisk accessories
- Excellent water pick-up

SC430 offers value for money and is available in a full package version that includes batteries, on-board charger as well as brush and squeegee – everything you need to get your cleaning going!



Large recovery tank and removable lid make it easy for you to clean and maintain the equipment. Fast and hygienic.



Built-in water level indicator.

### Technical specifications

| Description                            | Unit              | SC430         |
|--|-------------------|---------------|
| Item no.                               |                   | 50000334      |
| Voltage                                | V                 | 24            |
| Rated power                            | W                 | 900           |
| Sound pressure level at 1.5m           | dB(A)             | 70 ±3         |
| Productivity rate theoretical/ actual  | m <sup>2</sup> /h | 2120/1272     |
| Scrubbing width                        | mm                | 530           |
| Squeegee width                         | mm                | 760           |
| Solution/recovery tank                 | litre             | 40/40         |
| Brush motor power                      | W                 | 560           |
| Brush/pad diameter                     | mm                | 530/508       |
| Brush pressure                         | kg                | 35            |
| Brush speed                            | rpm               | 150           |
| Battery compartment size (lxwxh)       | mm                | 340x330x260   |
| Length x width x height (w/o squeegee) | mm                | 1140x550x1100 |
| Weight                                 | kg                | 135           |
| Operating weight                       | kg                | 175           |
| <b>Standard accessories:</b>           |                   |               |
| On-Board charger                       |                   | •             |
| Battery maintenance free 84 Ah         |                   | •             |
| Brush Prolene                          |                   | •             |
| Squeegee parabolic                     |                   | •             |

Specifications and details are subject to change without prior notice.



SC530

Simple, trustworthy and cost effective  
- requiring minimum training for daily use and maintenance



The SC530 is a simple, trustworthy and cost-effective scrubber dryer and the perfect choice for applications such as schools, hospitals, supermarkets and public buildings, as the SC530 allows to cover big areas reducing time and increasing productivity thanks to its 61 liter tank capacity.

On the SC530 you find standard features like:

- Easy to use with OneTouch™ button to activates all scrubbing functions
- Tilting recovery tank for easy access to batteries and chemicals
- Ergonomic pedal to easily lift and lower the deck
- Easy click-on and off system releases the brush/ pad effortlessly
- Excellent water pick-up

SC530 comes in two versions: Non-traction and traction. The traction version grants easier maneuverability and allows effortless driving control for the operator.



Solution hose is easy to disconnect and the solution tank can quickly be filled with water



Solution flow regulation can be change from the driving position according to the floor type and level of dirt

## Technical specifications

| Description                            | Unit              | SC530 BD      | SC530 B       |
|--|-------------------|---------------|---------------|
| Item no.                               |                   | 50000335      | 50000336      |
| Rated power                            | W                 | 800           | 800           |
| Sound pressure level at 1.5m           | dB(A)             | 69            | 69            |
| Productivity rate theoretical/ actual  | m <sup>2</sup> /h | 2385/1431     | 2120/1272     |
| Scrubbing width                        | mm                | 530           | 530           |
| Squeegee width                         | mm                | 760           | 760           |
| Solution/recovery tank                 | litre             | 61/61         | 61/61         |
| Brush motor power                      | W                 | 450           | 450           |
| Brush/pad diameter                     | mm                | 530/508       | 530/508       |
| Brush pressure                         | kg                | 23            | 27            |
| Brush speed                            | rpm               | 150           | 150           |
| Climbing capacity (max)                | %                 | 2             | 2             |
| Battery compartment size (lxwxh)       | mm                | 350x350x300   | 350x350x300   |
| Length x width x height (w/o squeegee) | mm                | 1260x550x1080 | 1260x550x1080 |
| Weight                                 | kg                | 97            | 91            |
| <b>Standard accessories:</b>           |                   |               |               |
| On-Board charger                       |                   | •             | •             |
| Brush Prolene                          |                   | •             | •             |
| Squeegee parabolic                     |                   | •             | •             |



Specifications and details are subject to change without prior notice.